

Student: _____
Date: _____

Instructor: Imelda Valencia
Course: Algebra 2 private

Assignment: Summer Homework for those who will be taking Algebra 2 (MS and HS) Sy 2017-2018

1. Solve the equation. Check your solution.

$$4 + 4q = 9 + 3q$$

q = _____

2. Solve the equation. Check your solution.

$$4x - 9 = 40x + 18$$

x = _____ (Simplify your answer. Type an integer or a simplified fraction.)

3. Solve the equation. Check your answer.

$$5y - 2 - 3y + 1 = 0$$

y = _____
(Simplify your answer. Type an integer or a fraction.)

4. Solve the equation.

$$8 - (x + 6) = 5x - 4$$

The solution is x = _____.

5. Solve the equation. Check your solution.

$$3(x + 9) = 48$$

x = _____ (Simplify your answer. Type an integer or a fraction.)

6. A new Community Sports Complex is being built in Del Rio. The perimeter of the rectangular playing field is 288 yards. The length of the field is 3 yards less than double the width. What are the dimensions of the playing field?

The width is _____ yards.

The length is _____ yards.

7. Is the equation always, sometimes, or never true?

$$4x - 13 + 3x = 7 + 7x - 20$$

Choose the correct answer below.

- Sometimes true
 Always true
 Never true

8. Solve the formula for the indicated variable.

$$W = XYZ \text{ for } Y$$

Y = _____

9. Solve the equation for y.

$$yw + yn = x$$

$$y = \underline{\hspace{2cm}}$$

10. Solve for h.

$$A = \frac{9}{7}(h - 23)$$

The solution is $h = \underline{\hspace{2cm}} A + \underline{\hspace{2cm}}$.
(Simplify your answers. Type an integer or a fraction.)

11. Solve the equation.

$$39 - 3(2w + 1) = 6w - 3(6 + w)$$

$$w = \underline{\hspace{2cm}} \text{ (Simplify your answer.)}$$

12. Solve the formula for the indicated variable.

$$T(r + s) = rs, \text{ for } r$$

$$r = \underline{\hspace{2cm}} \text{ (Simplify your answer.)}$$

13. Solve the following inequality. Graph the solution.









$$9a - 14 > 67$$

What is the solution? Select the correct choice below and fill in the answer box within your choice.

(Type an integer or a decimal.)

- A. $a > \underline{\hspace{2cm}}$
- B. $a < \underline{\hspace{2cm}}$
- C. $a \leq \underline{\hspace{2cm}}$
- D. $a \geq \underline{\hspace{2cm}}$

Choose the correct graph below.

- A.  B. 
- C.  D. 
- E.  F. 
- G.  H. 

14. Solve the inequality. Graph the solution.

$$2(m - 5) + 1 < 11$$

What is the solution?

m(1) _____

Choose the correct graph below.

- A. 
- B. 
- C. 
- D. 

- (1) <
 >

15. Solve the inequality. Graph the solution.









$$-4(w + 5) + 9 < -39$$

What is the solution? Select the correct choice below and fill in the answer box within your choice.

(Type an integer or a decimal.)

- A. $w \geq$ _____
- B. $w <$ _____
- C. $w \leq$ _____
- D. $w >$ _____

Choose the correct graph below.

- A. 
- B. 
- C. 
- D. 
- E. 
- F. 
- G. 
- H. 

16. Mark and Heather Starr are celebrating their 25th anniversary by having a reception at a local reception hall. They have budgeted \$5,000 for their reception. If the reception hall charges a \$60 cleanup fee plus \$34 per person, find the greatest number of people that they may invite and still stay within their budget.

Mark and Heather can invite at most _____ people to the reception.
(Round down to the nearest whole person.)

17. Using the slope formula, find the slope of the line through the given points.

(6,1) and (9,4)

What is the slope of the line? Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The slope of the line is _____. (Type an integer or a simplified fraction.)
 B. The slope of the line is undefined.

18. Using the slope formula, find the slope of the line through the given points.

(-9,8) and (1,8)

What is the slope of the line? Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The slope of the line is _____. (Type an integer or a simplified fraction.)
 B. The slope of the line is undefined.

19. Write the equation in slope-intercept form. Then find the slope and y-intercept of the line.

$$5x + 7y = 12$$


The equation in slope-intercept form is $y = \underline{\hspace{2cm}}$.
(Simplify your answer. Use integers or fractions for any numbers in the expression.)

The slope of the line is _____.
(Simplify your answer. Type an integer or a fraction.)

The y-intercept of the line is _____.
(Simplify your answer. Type an ordered pair. Use integers or fractions for any numbers in the expression.)

20. Use the slope-intercept form to graph the equation
 $y = -8x - 1$.


Use the graphing tool to graph the line. Use the slope and y-intercept when drawing the line.



21. Graph the equation.

$$3x + 4y = 24$$


Use the graphing tool to graph the equation.



22. What is the graph of the inequality?

$$24y \leq 30x$$

Use the graphing tool to graph the inequality.



23. Is the ordered pair $(\frac{4}{5}, 0)$ a solution of the inequality?

$$4x + y > 4$$

Is the ordered pair a solution?

- Yes
- No

24. A freight elevator has a capacity of 3000 pounds.


a) If a barrel averages 30 pounds and a crate 120 pounds, write an inequality that describes when x barrels and y crates will cause the elevator to be overloaded.

b) Graph the inequality.


a) The inequality is _____.
(Use integers or fractions for any numbers in the inequality.)

b) Choose the correct graph below.


A.




B.



C.



D.



25. Solve the system of equations by the substitution method.

$$\begin{cases} 5x - y = 34 \\ 2x + 7y = -16 \end{cases}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The solution of the system is _____.
(Simplify your answer. Type an ordered pair. Use integers or fractions for any numbers in the expression.)
- B. There are infinitely many solutions.
- C. There is no solution.

26. Solve the system of equations using substitution.

$$\begin{aligned} 5x + y &= 18 \\ y &= 4x \end{aligned}$$

Select the correct choice below and, if necessary, fill in the answer box within your choice.

- A. The solution is _____.
(Type an ordered pair.)
- B. There are infinitely many solutions.
- C. There is no solution.

27. Solve the system by substitution. Check your answer.

$$\begin{aligned} 2x + 5y &= 1 \\ x &= 3y + 6 \end{aligned}$$

Select the correct choice below and, if necessary, fill in the answer box within your choice.

- A. The solution is _____.
(Simplify your answer. Type an ordered pair. Use integers or fractions for any numbers in the expression.)
- B. There are infinitely many solutions.
- C. There is no solution.

28. Solve the system by substitution.

$$\begin{aligned} 5x + 9y &= 51 \\ x + 9y &= 75 \end{aligned}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. There is one solution. The solution is _____.
(Simplify your answer. Type an ordered pair. Use integers or fractions for any numbers in the expression.)
- B. There are infinitely many solutions.
- C. There is no solution.

29. A student has some \$1 and \$5 bills in his wallet. He has a total of 19 bills that are worth \$55. How many of each type of bill does he have?

The student has _____ \$1 bills and _____ \$5 bills.
(Type whole numbers.)

30. Solve by the elimination method.

$$2x + 5y = 4$$

$$-2x + y = 8$$

What is the solution of the system? Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. _____ (Type an ordered pair.)
 B. There are infinitely many solutions.
 C. There is no solution.

31. Solve by the elimination method.

$$5x - 6y = -12$$

$$6x + 5y = 71$$

What is the solution of the system? Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. _____ (Type an ordered pair.)
 B. There are infinitely many solutions.
 C. There is no solution.

32. Solve the system by elimination.

$$\begin{cases} 2x + 4y = 0 \\ 4x + 8y = 4 \end{cases}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The solution is _____.
(Simplify your answer. Type an ordered pair. Use integers or fractions for any numbers in the expression.)
 B. There are infinitely many solutions.
 C. There is no solution.

33. Solve the system.

$$\begin{cases} \frac{1}{2}x + \frac{2}{5}y = 2 \\ \frac{5}{4}x - \frac{1}{5}y = 7 \end{cases}$$

Select the correct choice below and, if necessary, fill in the answer box within your choice.

- A. The solution is _____.
(Simplify your answer. Type an ordered pair. Use integers or simplified fractions for any numbers in the expression.)
 B. There are infinitely many solutions.
 C. There is no solution.

34. A laboratory technician needs to make a 48-liter batch of a 40% acid solution. How can the laboratory technician combine a batch of an acid solution that is pure acid with another that is 20% to get the desired concentration?

The laboratory technician can combine _____ L of the pure acid solution with _____ L of the 20% acid solution to get the desired concentration.

35. A laboratory technician needs to make a 36-liter batch of a 40% acid solution. How can the laboratory technician combine a batch of an acid solution that is pure acid with another that is 10% to get the desired concentration?

The laboratory technician can combine _____ L of the pure acid solution with _____ L of the 10% acid solution to get the desired concentration.

- *36. A metalworker has a metal alloy that is 15% copper and another alloy that is 75% copper. How many kilograms of each alloy should the metalworker combine to create 120 kg of a 63% copper alloy?

The metalworker should use _____ kilograms of the metal alloy that is 15% copper and _____ kilograms of the metal alloy that is 75% copper.
(Type whole numbers.)

- *37. A bicycle store costs \$2550 per month to operate. The store pays an average of \$70 per bike. The average selling price of each bicycle is \$100. How many bicycles must the store sell each month to break even?

The store must sell _____ bicycles each month to break even.
(Type a whole number.)

- *38. An investor invested a total of \$900 in two mutual funds. One fund earned a 5% profit while the other earned a 3% profit. If the investor's total profit was \$41, how much was invested in each mutual fund?

The amount invested in the mutual fund that earned 5% was \$ _____.

The amount invested in the mutual fund that earned 3% was \$ _____.

- *39. A group of scientists studied the effect of a chemical on various strains of bacteria. Strain A started with 8000 cells and decreased at a constant rate of 2000 cells per hour after the chemical was applied. Strain B started with 2000 cells and decreased at a constant rate of 1000 cells per hour after the chemical was applied. When will the strains have the same number of cells? Explain.

To determine when the strains will have the same number of cells, first write and solve a system of two linear equations.

The solution to the system of linear equations is _____.
(Type an ordered pair, but do not use commas in any individual coordinates.)

Consider the solution to the system of equations in the context of the problem. Select the correct choice below and, if necessary, fill in the answer box to complete your choice.
(Simplify your answers.)

- A. The ordered-pair solution to the system of equations is viable for the situation. After _____ hours, the two strains will both have _____ cells.
- B. The ordered-pair solution to the system of equations is not viable for the situation, but there is a time when both strains have the same number of cells. After _____ hours, the two strains both have _____ cells.
- C. The ordered-pair solution to the system of equations is not viable for the situation. The two strains will never have the same number of cells.

- *40. A traveler is walking on a moving walkway in an airport. The traveler must walk back on the walkway to get a bag he forgot. The traveler's ground speed is 3 ft/s against the walkway and 9 ft / s with the walkway. What is the traveler's speed off the walkway? What is the speed of the moving walkway?

The traveler's speed off the walkway is _____ ft/s.

The speed of the moving walkway is _____ ft/s.

- *41. If a plane can travel 480 miles per hour with the wind and 380 miles per hour against the wind, find the speed of the wind and the speed of the plane in still air.

What is the speed of the wind? _____ mph

What is the speed of the plane in still air? _____ mph

- *42. Gabe Amodeo, a nuclear physicist, needs 50 liters of a 60% acid solution. He currently has a 20% solution and a 70% solution. How many liters of each does he need to make the needed 50 liters of 60% acid solution?

Gabe needs _____ liters of the 20% solution.

He also needs _____ liters of the 70% solution.

- *43. Factor the expression.

$$x^2 + 7x + 12$$

$$x^2 + 7x + 12 = \underline{\hspace{2cm}}$$

- *44. Factor the trinomial completely.

$$x^2 + x - 6$$

$$x^2 + x - 6 = \underline{\hspace{2cm}}$$

- *45. The area of a rectangular rug is given by the trinomial $r^2 - 4r - 21$. What are the possible dimensions of the rug? Use factoring.

The length and the width of the rectangle are _____ .
(Use a comma to separate answers as needed.)

- *46. Complete the factoring.

$$x^2 + 11x + 28$$

$$x^2 + 11x + 28 = (x + 7)(\underline{\hspace{2cm}})$$

- *47. Factor the expression.

$$x^2 + 7x + 12$$

$$x^2 + 7x + 12 = \underline{\hspace{2cm}}$$

56. Solve the equation by factoring.

$$x^2 - 1 = 0$$

$$x = \underline{\hspace{2cm}}$$

(Use a comma to separate answers as needed.)

57. Solve the equation.

$$q^2 + q - 42 = 0$$

$$q = \underline{\hspace{2cm}}$$

(Use a comma to separate answers as needed.)

58. Solve the equation by factoring. Check your answer.

$$x^2 - 10x = 0$$

$$x = \underline{\hspace{2cm}}$$

(Use a comma to separate answers as needed.)

59. Solve the equation by factoring. Check your answer.

$$3x^2 = 15x$$

$$x = \underline{\hspace{2cm}}$$

(Use a comma to separate answers as needed.)

60. Classify the polynomial by degree and by number of terms.

$$5x^2$$

The polynomial is a (1) _____ (2) _____

- | | |
|----------------------------------|---|
| (1) <input type="radio"/> linear | (2) <input type="radio"/> binomial. |
| <input type="radio"/> constant | <input type="radio"/> polynomial of four terms. |
| <input type="radio"/> cubic | <input type="radio"/> trinomial. |
| <input type="radio"/> quadratic | <input type="radio"/> monomial. |
-

61. Write the polynomial in standard form. Then classify it by degree and by number of terms.

$$6x^2 - 4 + 8x$$

Write the polynomial in standard form. Choose the correct answer below.

- A. $-4 + 6x^2 + 8x$
- B. $6x^2 + 8x - 4$
- C. $6x^2 - 4 + 8x$
- D. $-4 + 8x + 6x^2$

Classify the polynomial.

The polynomial is a (1) _____ (2) _____.

- (1) quadratic (2) trinomial
 constant binomial
 cubic monomial
 linear polynomial of four terms

62. Write the polynomial in standard form. Then classify the polynomial by degree and by number of terms.

$$7x^2 + 4x^2 - 3x^2$$

Write the polynomial in standard form.

_____ (Simplify your answer.)

Classify the polynomial.

The polynomial is a (1) _____ (2) _____

- (1) cubic (2) trinomial.
 quintic polynomial of four terms.
 quartic monomial.
 quadratic binomial.

63. Solve.

$$\begin{aligned} 4a + 3b + c &= 32 & (1) \\ a - 3b + 2c &= 2 & (2) \\ 11a - 2b + 3c &= 58 & (3) \end{aligned}$$

What is the solution? (_____, _____, _____)

64. Solve the equation using the Quadratic Formula.

$$x^2 - 7x - 5 = 0$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. $x =$ _____
(Simplify your answer. Use integers or fractions for any numbers in the expression. Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)
- B. There are no real solutions.
-

65. Find the discriminant of the quadratic equation. Determine the number of real solutions.

$$x^2 + 6x + 9 = 0$$

What is the discriminant of the quadratic equation?

How many real solutions does the quadratic equation have?

- Two real solutions
- One real solution
- No real solutions
-

66. Solve the equation using the Quadratic Formula.

$$x^2 - 5x + 4 = 0$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. $x =$ _____
(Simplify your answer. Use integers or fractions for any numbers in the expression. Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)
- B. There are no real solutions.
-

67. Solve the equation using the Quadratic Formula.

$$3x^2 - 7x = 6$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. $x =$ _____
(Simplify your answer. Use integers or fractions for any numbers in the expression. Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)
- B. There are no real solutions.
-

68. Solve the equation using the Quadratic Formula.

$$2x(x + 1) = 11$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. $x =$ _____
(Simplify your answer. Use integers or fractions for any numbers in the expression. Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)
- B. There are no real solutions.
-

69. Your class is selling boxes of flower seeds as a fundraiser. The total profit p depends on the amount x that your class charges for each box of seeds. The equation $p = -0.5x^2 + 25x - 105$ models the profit of the fundraiser. What's the smallest amount, in dollars, that you can charge and make a profit of at least \$120?

To make the desired profit, the smallest amount you can charge for each box is \$ _____.
(Round to the nearest cent as needed.)

70. Evaluate the discriminant for the equation. Determine the number of real solutions.

$$7x^2 + 5x + 6 = 0$$

What is the discriminant of the quadratic equation?

How many real solutions does the quadratic equation have?

- Two real solutions
- No real solutions
- One real solution